



# Girnar

Food Machine Pvt. Ltd.

Mfg : All Types Of Sweet & Namkeen Machines



VISION is To become #1 company  
in Sweet & Namkeen making machinery  
business in 2025 across the Globe.

To complete our VISION as early as  
possible is our MISSION

# Portioning & Rounding Machine

Portioning & Rounding Machine is used for portioning and shaping various types of traditional and modern food products like Indian sweets, confectionery and bakery food items in round and cylinder shape.

## Used for Making

Round Peda  
Anguri balls  
Rasgulla  
Rasbhari  
Chumchum  
Gulabjamun  
Coconut Balls  
Seedai Balls  
Chena Payesh

## Features

Complete top to bottom SS 304/anodized parts  
Simple weight setting mechanism  
Thin Sharp blade cutting each ball  
Small & compact in size  
Belt cleaning system provided for hygienic use  
Storage space provided  
Inbuilt spherical ball making attachment  
Inbuilt Ac drive for controlling output speed  
Castor-mounted for easy movement  
High speed machine  
Emergency stop button

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 159 cm, Width : 52 cm, Height : 138 cm  
Hooper Capacity : 15 Litre  
Output Size : 1gram to 100 gram  
Output Speed Approx. : 10000 Pieces per hour  
Output Capacity : As Per Ball Size and Weight Depends  
Weight : 215 kg.  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Sensor To Cut Ball : Made by Germany  
Pneumatic System : Festo  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt Food grade Material Made by Germany  
Belt speed : 2 - 12 meter/min  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Electricity Power : 220v Ac Single phase 50/60 Hz 500 watts  
Counter System : Yes  
Air pressure : 0.8cfm 4 kg  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Peda Designing / Forming / Shaping and Stamping Machine

Peda Forming / Stamping / Moulding Machine is used to design various types of sweets and bakery items. It cuts equal portions from the preconditioned food mixture. With the help of a designer die attachment in combination with the pressing technology, it neatly presses the food item in uniform shapes.

## Used for Making

Design Peda  
Sandesh  
Cookies  
Modak

## Features

Complete top to bottom SS 304/anodized parts  
Simple weight setting mechanism  
Small & compact in size  
Ball counting system  
Belt cleaning system provided for hygienic use  
Thin Sharp blade cutting each ball  
Inbuilt Ac drive for controlling output speed  
Castor-mounted for easy movement  
PLC & HMI based machine  
Emergency Stop Button

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 178 cm, Width : 52 cm, Height : 140 cm  
Weight : 195 kg  
Hooper Capacity : 15 Litre  
Output Size : 10 gram to 50 gram  
Output Speed Apporx. : 50 Pieces per minute  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Sensor To Cut Ball : Made by Germany  
Pneumatic System : Festo  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt food grade Material Made by Germany  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Electricity Power : 220v AC Single Phase 50/60 Hz 500 Watts  
Counter System : Yes  
Air pressure: 4 kg pressure, 1 CFM  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Portioning & Rounding with Peda Pressing Machine

Portioning & Rounding with Peda Pressing Machine is useful in making Round and Flat-shaped Product.

## Used for Making

Puri  
Peda  
Sandesh  
Cookies  
Bhakhri

## Features

Complete top to bottom SS 304/anodized parts  
Simple weight setting mechanism  
Automatically Synchronise with Ball forming machine  
Small & compact in size  
Thin Sharp blade cutting each ball  
Belt cleaning system provided for hygienic use  
Storage space provided  
Inbuilt spherical ball making attachment  
Inbuilt Ac drive for controlling output speed  
Castor-mounted for easy movement  
High speed machine  
Emergency stop button  
Peda Collection tray in-built attached  
No lubrication/greasing required for a lifetime

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 159+100 cm, Width : 52+39 cm, Height : 138+117 cm  
Hooper Capacity : 15 Litre  
Output Size : 1 gram to 100 gram  
Output Speed Approx. : 10000 Pieces per hour  
Output Capacity : As Per Ball Size and Weight Depends  
Weight : 280kg.  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Sensor To Cut Ball : Made by Germany  
Pneumatic System : Festo  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt Food grade Material Made by Germany  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Electricity Power : 220v Ac Single phase 50/60 Hz500 watts  
Counter System : Yes  
Air pressure : 0.8cfm 4 kg  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Peda Pressing Machine



Peda Pressing Machine is useful in making flat-shaped peda. Just feed the peda mixture and get the same shape and size each time. For a more favourable result, it can be attached with a Ball Forming Machine and Multipurpose Rounder Machine.

## Used for Making

Puri  
Press Peda  
Sandesh  
Cookies  
Bhakhri

## Features

Complete top to bottom SS 304/anodized parts  
Simple weight setting mechanism  
Belt cleaning system provided for hygienic use  
Thin Sharp blade cutting each ball  
Small & compact in size  
Peda Collection tray in-built attached  
Emergency Stop Button  
No lubrication/greasing required for a lifetime

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 100 cm, Width : 39 cm, Height : 117 cm  
Weight Range : 1 gram to 100 gram  
Net Weight : 65 kg  
Capacity : Automatically synchroise with ball forming Machine  
Electric motor : Bonfiglioli  
Drive : VFD Drive Made by Japan  
Belt material : PU Belt Food grade Material Made by Germany  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Electricity Power : 220v Ac Single phase 50/60 Hz 50 watts  
Air Pressure : 0.8cfm @ 4 kg pressure  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Portioning Machine

Portioning Machine is used for portioning or cutting pieces from a preconditioned mixture in equal portions and in large quantity. This machine is fully automatic for the user's convenience. It is used for making pieces of various types of sweets, bakery and confectionary items.

## Features

- Complete top to bottom SS 304
- Simple weight wetting mechanism
- Small & compact in size
- Inbuilt Ac drive for controlling output speed
- Castor-mounted for easy movement
- Emergency stop button

## Specifications

- Machine Body : SS 304
- Machine Dimension : Length : 60 cm, Width : 50 cm, Height : 120 cm
- Net weight : App. 100 Kg
- Hooper capacity: 15 Litre
- Output : 10000 pieces per hour
- Weight range : 1 gram to 100 gram
- Electric motor : Bonfiglioli
- Gear Box : Bonfiglioli
- Sensor To Cut Ball : Made by Germany
- Pneumatic System : Festo
- Drive : VFD Drive Made by Japan
- Electric wire : RR Cable Or Polycab
- Electric Parts : Siemens & L&T & Schneider Electric
- Electricity Power : 220 v Ac 50/60 Hz 380 watt
- Air pressure : 0.8cfm @ 4 kg pressure
- Machine Movable : Yes ( 4 Inch Castor Wheel )



# Spongy Portioning & Rounding Machine

Spongy Portioning & Rounding Machine is specially designed for producing soft, uniform, and perfectly round rasgullas with high efficiency. It automates the processes of portioning, shaping, and rounding chhena dough, ensuring consistent size, weight, and texture. This machine is ideal for sweet shops, dairy units, food factories, hotels, and large-scale sweet manufacturers, helping increase production while maintaining traditional taste and sponginess.

## Used for Making

- Spongy Rasgulla
- Round and Flat Peda
- Anguri balls
- Rasmalai
- Rashbari
- Chumchum
- Gulabjamun
- Coconut Balls
- Seedai Balls
- Chena Payesh
- Cookies

## Features

- Complete top to bottom SS 304/anodized parts
- Simple weight setting mechanism
- Belt cleaning system provided for hygienic use
- Castor-mounted for easy movement
- High speed machine
- Emergency stop button

## Specifications

- Machine Body : SS 304
- Machine Dimension : Length : 260 cm, Width : 80 cm, Height : 100 cm
- Hopper Capacity : 15 Litre
- Output Size : 2 gram to 50 gram
- Output Speed : Approx. 10000 Pieces per hour
- Output Capacity : As Per Ball Size and Weight Depends
- Weight : 250 kg
- Electric Motor : Bonfiglioli
- Gear Box : Bonfiglioli
- Sensor To Cut Ball : Made By Germany
- Drive : VFD Drive Made by Japan
- Belt Material : PU Belt Food grade Material Made by Germany
- Belt speed : 2-12 meter/min
- Electric Wire : RR Cable or Polycab
- Electric Parts : Siemens, L&T, & Schneider Electric
- Electricity Power : 220V /110 v Single Phase
- Power Consumption : 2 KW
- Counter System : Yes
- Machine Movable : Yes (4 inch Castor Wheel)



# Multipurpose Rounder Machine

Multipurpose rounder is combination of Laddu Rounder Machine & Conveyour Rounder Machine.

## Used for Making

Round Peda  
Anguri balls  
Rasgulla  
Rasbhari  
Chumchum  
Gulabjamun  
Coconut balls  
Seedai balls  
Chena Payesh  
Motichur Laddu,  
Besan Laddu,  
Kachori Ball,  
Rice Ball,  
Coconut Ball,  
Various types of Bakery , Confectionary & Indian Sweets item's etc.

## Features

Complete top to bottom SS 304/anodized parts  
Simple weight setting mechanism  
Thin Sharp blade cutting each ball  
Small & compact in size  
Belt cleaning system provided for hygienic use  
Storage space provided  
Inbuilt spherical ball making attachment  
Inbuilt Ac drive for controlling output speed  
Castor-mounted for easy movement  
Life time no lubricating/greasing require  
Emergency stop button

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 170 cm, Width : 52 cm, Height : 121 cm  
Hooper Capacity : 15 Litre  
Output Size : 1 gram to 100 gram  
Output Speed Appox. : 10000 Pieces per hour  
Output Capacity : As Per Ball Size and Weight Depends  
Weight : 250 kg.  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Sensor To Cut Ball : Made by Germany  
Pneumatic System : Festo  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt Food grade Material Made by Germany  
Belt speed : 2 - 12 meter/min  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider  
Electricity Power : 220v Ac Single phase 50/60 Hz 500 watts  
Counter System : Yes  
Air pressure : 0.8cfm 4 kg  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Roasting / Baking / Mixing / Boiling Machine (80 ltr.)

Baking / Roasting / Mixing Machine efficiently bakes and stirs the halwa mixture with a four-agitator arm. It continuously twists, stirs, shakes and bakes the mixture evenly. This machine can also be used as a mixing machine to mix food mixture, slurry, food liquids, etc. After the process, easy tilting technology helps in putting the mixture in the desired tray.

## Used for Making

Besan halwa  
Atta halwa  
Sukhadi  
All types of barfi  
Mung halwa  
Karachi halwa  
Tirunveli halwa  
Mysorepak  
Mohanthal  
Doda barfi  
Kaju bite  
Dal Pinni  
Basundi  
Gravy used  
All types of Baking & Mixing

## Features

Top to bottom S.S.304/anodized parts  
Inbuilt High Capacity Gas Burner with flow control  
Machine can be tilted easily for removing material  
Easy locking mechanism for kadai while tilting  
Inbuilt Ac Drive for controlling the rotation speed  
Castor-mounted for easy movement

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 139 cm, Width : 88 cm, Height : 114 cm  
Bowl Diameter : 30 Inch  
Bowl Depth : 10 Inch  
Bowl Thickness : 6 mm  
Bowl Capacity : 80 Litre  
Net Weight : 120 kg.  
Machine Connection : Electric & LPG & PNG  
Electric motor : Bonfiglioli  
Electric motor (HP) : 0.5  
Gear Box : Bonfiglioli  
Driven Type : Single Gear  
Drive : VFD Drive Made by Japan  
Electric Wire : RR Cable Or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Blade Cover Material : PTFE Food grade  
Electricity Power : 220v Ac Single Phase 50 Hz 1.5 KW  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Roasting / Baking / Mixing / Boiling Machine (150 ltr.)

Baking / Roasting / Mixing Machine efficiently bakes and stirs the halwa mixture with a Six - agitator arm. It continuously twists, stirs, shakes and bakes the mixture evenly. This machine can also be used as a mixing machine to mix food mixture, slurry, food liquids, etc. After the process, easy tilting technology helps in putting the mixture in the desired tray.

## Used for Making

- Besan halwa
- Atta halwa
- Sukhadi
- All types of barfi
- Mung halwa
- Karachi halwa
- Tirunveli halwa
- Mysorepak
- Mohanthal
- Doda barfi
- Kaju bite
- Dal Pinni
- Basundi
- Gravy used
- All types of Baking & Mixing

## Features

- Top to bottom S.S.304/anodized parts
- Inbuilt High Capacity Gas Burner with flow control
- Machine can be tilted easily for removing material
- Easy locking mechanism for kadai while tilting
- Inbuilt Ac Drive for controlling the rotation speed
- Castor-mounted for easy movement

## Specifications

- Machine Body : SS 304
- Machine Dimension : Length : 187 cm, Width : 99 cm, Height : 121 cm
- Bowl Diameter : 36 Inch
- Bowl Depth : 12 Inch
- Bowl Thickness : 6 mm
- Bowl Capacity : 150 Litre
- Net Weight : 280 kg
- Machine Connection : Electric & LPG & PNG
- Electric Motor : Bonfiglioli
- Electric motor (HP) : 2
- Gear Box : Bonfiglioli
- Driven Type : Double Gear
- Drive : VFD Drive Made by Japan
- Electric wire : RR Cable or Polycab
- Electric Parts : Siemens & L&T & Schneider Electric
- Blade Cover Material : PTFE Food grade
- Electricity Power : 220v Ac Single Phase 50 Hz 1.5 KW
- Machine Movable : Yes ( 4 Inch Castor Wheel )



# Roasting / Baking / Mixing / Boiling Machine (200 ltr.)

Baking / Roasting / Mixing Machine efficiently bakes and stirs the halwa mixture with a Six - agitator arm. It continuously twists, stirs, shakes and bakes the mixture evenly. This machine can also be used as a mixing machine to mix food mixture, slurry, food liquids, etc. After the process, easy tilting technology helps in putting the mixture in the desired tray.

## Used for Making

Besan halwa  
Atta halwa  
Sukhadi  
All types of barfi  
Mung halwa  
Karachi halwa  
Tirunveli halwa  
Mysorepak  
Mohanthal  
Doda barfi  
Kaju bite  
Dal Pinni  
Basundi  
Gravy used  
All types of Baking & Mixing

## Features

Top to bottom S.S.304/anodized parts  
Inbuilt High Capacity Gas Burner with flow control  
Machine can be tilted easily for removing material  
Easy locking mechanism for kadai while tilting  
Inbuilt Ac Drive for controlling the rotation speed  
Castor-mounted for easy movement  
Auto Ignition System Inbuilt

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 198 cm, Width : 106 cm, Height : 127 cm  
Bowl Diameter : 39 Inch  
Bowl Depth : 14 Inch  
Bowl Thickness : 8 mm  
Bowl Capacity : 200 Litre  
Net Weight : 300 kg.  
Machine Connection : Electric & LPG & PNG  
Electric Motor : Bonfiglioli  
Electric motor (HP) : 2  
Gear Box : Bonfiglioli  
Driven Type : Double Gear  
Drive : VFD Drive Made by Japan  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Auto Ignition System : Customized  
Blade CoverMaterial : PTFE Food grade  
Electricity Power : 220v Ac Single Phase 50 Hz 1.5 KW  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Roasting / Baking / Mixing / Boiling Machine (300 ltr. )

Baking / Roasting / Mixing Machine efficiently bakes and stirs the halwa mixture with a Six- agitator arm. It continuously twists, stirs, shakes and bakes the mixture evenly. This machine can also be used as a mixing machine to mix food mixture, slurry, food liquids, etc. After the process, easy tilting technology helps in putting the mixture in the desired tray.

## Used for Making

Besan halwa  
Atta halwa Sukhadi  
All types of barfi  
Mung halwa  
Karachi halwa  
Tirunveli halwa Mysorepak Mohanthal  
Doda barfi  
Kaju bite  
Dal Pinni Basundi  
Gravy used  
All types of Baking & Mixing

## Features

Top to bottom S.S.304/anodized parts  
Inbuilt High Capacity Gas Burner with flow control  
Machine can be tilted easily for removing material  
Easy locking mechanism for kadai while tilting  
Inbuilt Ac Drive for controlling the rotation speed  
Castor-mounted for easy movement  
Auto Ignition System Inbuilt

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 228 cm, Width : 129 cm, Height : 139 cm  
Bowl Diameter : 48 Inch  
Bowl Depth : 14 Inch  
Bowl Thickness : 8 mm  
Bowl Capacity : 300 Litre  
Net Weight : 350 kg.  
Machine Connection : Electric & LPG & PNG  
Electric Motor : Bonfiglioli  
Electric motor (HP) : 2  
Gear Box : Bonfiglioli  
Driven Type : Double Gear  
Drive : VFD Drive Made by Japan  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Auto Ignition System : Customized  
Blade CoverMaterial : PTFE Food grade  
Electricity Power : 220v Ac Single Phase 50 Hz 1.5 KW  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Roasting / Baking / Mixing / Boiling Machine (400 ltr.)

Baking / Roasting / Mixing Machine efficiently bakes and stirs the halwa mixture with a Six - agitator arm. It continuously twists, stirs, shakes and bakes the mixture evenly. This machine can also be used as a mixing machine to mix food mixture, slurry, food liquids, etc. After the process, easy tilting technology helps in putting the mixture in the desired tray.

## Used for Making

Besan halwa  
Atta halwa Sukhadi  
All types of barfi  
Mung halwa  
Karachi halwa  
Tirunveli halwa Mysorepak Mohanthal  
Doda barfi  
Kaju bite  
Dal Pinni Basundi  
Gravy used  
All types of Baking & Mixing

## Features

Top to bottom S.S.304/anodized parts  
Inbuilt High Capacity Gas Burner with flow control  
Machine can be tilted easily for removing material  
Easy locking mechanism for kadai while tilting  
Inbuilt Ac Drive for controlling the rotation speed  
Castor-mounted for easy movement  
Auto Ignition System Inbuilt

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 254 cm, Width : 142 cm, Height : 165 cm  
Bowl Diameter : 54 Inch  
Bowl Depth : 16 Inch  
Bowl Thickness : 8 mm  
Bowl Capacity : 400 Litre  
Net Weight : 400 kg.  
Machine Connection : Electric & LPG & PNG  
Electric Motor : Bonfiglioli  
Electric motor (HP) : 3  
Gear Box : Bonfiglioli  
Driven Type : Double Gear  
Drive : VFD Drive Made by Japan  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Auto Ignition System : Customized  
Blade CoverMaterial : PTFE Food grade  
Electricity Power : 220v Ac Single Phase 50 Hz 1.5 KW  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Automatic Roaster Machine

It works on principle of baking while stirring. One Agitator arm continuously turn, twist, shake & bake material in one direction in bowl. Jackets on bowl for maximum utilization of fuel. It will bake the material evenly. It has tilting mechanism to unload material. It can be used as a mixing machine to mix materials, slurry or liquids. Useful to heat liquids, semi-liquids & solid materials.

## Used for Making

- Besan halwa
- Atta halwa
- Sukhadi
- All types of barfi
- Mung halwa
- Karachi halwa
- Tirunveli halwa
- Mysorepak
- Mohanthal
- Doda barfi
- Kaju bite
- Dal Pinni
- Basundi
- Gravy used
- All types of Baking & Mixing

## Features

- Top to bottom S.S.304
- Small & compact in size
- Inbuilt High Capacity Gas Burner with flow control
- Auto Ignition System Inbuilt
- Automatic temperature control with a recipe setting
- Machine can be tilted through push button for easily removing material
- Inbuilt Ac Drive for controlling the rotation speed
- Castor-mounted for easy movement

## Specifications

- Machine Body : SS 304
- Machine Dimension : Length : 145 cm, Width : 115 cm, Height : 155 cm
- Bowl Diameter : 39 Inch
- Bowl Depth : 14 Inch
- Bowl Thickness : 8 mm
- Bowl Capacity : 200 Litre
- Net weight : 340 kg.
- Machine Connection : Electric & LPG & PNG
- Electric Motor : Bonfiglioli
- Electric Motor ( HP ) : 2
- Gear Box : Bonfiglioli
- Driven Type : Double Gear
- Drive : VFD Drive Made by Japan
- HMI/PLC : Delta
- Electric Wire : RR Cable or Polycab
- Electric Parts : Siemens & L&T & Schneider Electric
- Auto Ignition System : Yes
- Blade Cover Material : PTFE Food Grade
- Electricity Power : 220v AC Single Phase 50 hz 1.5 kW
- Machine Movable : Yes ( 4 Inch Castor Wheel )



# Frying Kadai

A kadai is one of the mostly used cooking utensils. This is a cooking pot which is usually heated on a gas stove. Girnar company produces electrically heated frying kadai. This kitchen equipment comprises a high capacity bowl that is connected to a heating element. The heating element heats up the bowl, in which oil is added. The bowl can be tilted in order to empty the bowl. This is a stainless steel frying kadai which maintains the hygiene. This kitchen equipment stands on four wheels. This kitchen equipment can be moved anytime and anywhere.

## Used for Making

Laddu Dana  
Imarti  
Boondi  
Namkeen  
Sev  
Bhujia  
Farsan  
Samosa  
Kachori  
Pakoda  
Potato Chips  
Various types of Sweets & Savories Snacks

## Features

Complete top to bottom SS 304/anodized parts  
Simple weight setting mechanism  
Customizable sizes based on batch production needs.  
Tilting mechanism for easy unloading of fried products.  
High pressure burner for quick heating.  
Castor-mounted for easy movement

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 109 cm, Width : 90 cm, Height : 94 cm  
Bowl Diameter : 30 Inch ( Option for 39 Inch & 54 Inch also )  
Bowl Depth : 10 Inch  
Bowl Thickness : 6 mm  
Bowl Capacity : 80 ltr.  
Output : 80 to 100 Kg. Per Hour  
Weight : 130 kg.  
Machine Connection : LPG & PNG  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Manual Fryer Machine

Manual Fryer machine helps in frying sweets and snacks evenly and gently without breaking them. It can be used for all kinds of food frying requirements.

## Used for Frying

Gulabjamun

## Features

- Small & compact in size
- Castor-mounted for easy movement
- Variable speed and reverse-forward motion for frying
- Auto Ignition System as per customer requirement
- Inbuilt twin gas burner

## Specifications

- Machine Body : SS 304
- Machine Dimension : Length: 91 cm, Width : 101 cm, Height : 91 cm
- Bowl Diameter : 36 Inch
- Bowl Thickness : 5 mm
- Machine Connection : Electric & LPG & PNG
- Output Capacity : 70 Kg per hour
- Net Weight : 100 kg.
- Oil Capacity : 40 to 100 Litre
- Electric Motor : Bonfiglioli
- Gear Box : Bonfiglioli
- Electric Wire : RR Cable or Polycab
- Electric Parts : Siemens & L&T & Schneider electric
- Electricity Power : 220v Ac single phase 50/60 hz 500 watts
- Machine Movable : Yes ( 4 Inch Castor Wheel )



# Automatic Laddu Making Machine

Laddu Making Machine is a multi-purpose machine. It automatically takes equal portions from the food mixture, cuts it in equal parts, shapes them perfectly with the spherical ball-making attachment and gently places them in the tray.

## Used for Making

Motichur Laddu  
Kachori balls  
Penut Laddu

## Features

Complete top to bottom part SS 304/anodized parts  
Simple weight setting mechanism  
Thin Sharp blade cutting each ball  
Easy & Quick size and shape change system  
Small & compact in size  
Inbuilt Ac drive for controlling output speed  
Castor-mounted for easy movement  
Emergency Stop Button

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 69 cm, Width : 52 cm, Height : 138 cm  
Hooper Capacity : 15 Litre  
Capacity Approx. : 3000 Pieces per hour  
Product Weight Range : 10 gram to 50 gram  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Net Weight : 220 kg.  
Sensor To Cut Ball : Made by Germany  
Pneumatic System : Festo  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt Food grade Material Made by Germany  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Electricity Power : 220v Ac 50/60 Hz 390 watts  
Counter System : Yes  
Air pressure: 0.6cfm @4 kg pressure  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Kajukatli Sheeting Machine

Kaju Katli Sheeter helps in evenly spreading the preconditioned Mixture of Kaju Katli on a tray. The thickness of the Kaju Katli Sheet is uniformly maintained in each Tray on which it is spread to give a perfect batch of Kaju Katli each time.

## Used for Making

Kaju Katli  
Badam Katli  
Mava Katli  
Sangam Katli  
All types of Barfis  
All types of Food Products required to be Shaped in a Flat form

## Features

Complete top to bottom part SS 304/anodized parts  
PLC - Based touch screen Operation  
Castor-mounted for easy movement  
Emergency Stop Button

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 202 cm, Width : 94 cm, Height : 135 cm  
Output : 200 Patta per hour  
S.S -304 Patta of 450 x 750 mm : 50 Pieces  
Kajukatli Rack : 2 Pieces  
Thickness Range : 3 mm to 30 mm  
PLC Operated : Yes  
Weight : 485 kg.  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt Food grade Material Made by Germany  
Bearing : SKF Germany or TIMKEN USA  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider Electric  
Electricity Power : 220v Ac Single phase 50/60 Hz 500 watts  
Hooper Capacity : 15 Litre  
Counter System : Yes  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Kajukatli Cutting Machine



Kajukatli cutter machine can significantly enhance efficiency and consistency in sweet production

## Used for Making

Kaju Katli  
Badam Katli  
Mava Katli  
Sangam Katli  
All types of barfis

## Features

Complete top to bottom part SS 304/anodized parts  
PLC - Based touch screen Operation  
Castor-mounted for easy movement  
Emergency Stop Button

## Specifications

Machine Body : SS 304  
Machine Dimension : Length : 392 cm, Width : 117 cm, Height : 96 cm  
Output : 200 Patta per hour  
Cutting Size : Any Size & Any Angle  
PLC Operated : Yes  
Weight : 350 kg.  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Drive : VFD Drive Made by Japan  
Belt Material : PU Belt Food grade Material Made by Germany  
Bearing : SKF Germany or TIMKEN USA  
Electric Wire : RR Cable or Polycab  
Electric Parts : Siemens & L&T & Schneider  
Electricity Power : 220v Ac Single phase 50/60 Hz 500 watts  
Counter System : Yes  
Air pressure : 0.8cfm 4 kg  
Machine Movable : Yes ( 4 Inch Castor Wheel )

# Automatic Fryer Machine

Automatic Fryer machine helps in frying sweets and snacks evenly and gently without breaking them. It can be used for all kinds of food frying requirements.

## Used for Frying

Gulabjamun  
Kalajam  
Samosa  
Kachori  
Lengcha  
Meat Ball  
All types of frying

## Features

Small & compact in size  
Castor-mounted for easy movement  
Variable speed and reverse-forward motion for frying  
Auto Ignition System as per customer requirement  
Automatic temperature control with a recipe setting  
Inbuilt twin gas burner

## Specifications

Machine Body : SS 304  
Machine Dimension: Length : 89 cm, Width: 150 cm Height : 112 cm  
Bowl Diameter : 30 Inch & 36 Inch  
Machine Connection : Electric & LPG & PNG  
Output Capacity : 70 Kg per hour  
Net Weight : 200 kg  
Oil Capacity : 40 to 100 Litre  
Electric Motor : Bonfiglioli  
Drive : Delta  
Electric Parts : Siemens & L&T & Schneider Electric  
Electric Wire : RR Cable or Polycab  
Electricity Power : 220v Ac Single phase 50/60 Hz 500 watts  
Machine Movable : Yes ( 4 Inch Castor Wheel )



# Tray Arranger Machine



Tray Arranger is used to skilfully arrange food items in trays. After one tray is full, the machine automatically takes a new empty tray to fill the following batch of the food item. Tray, Arranging Machine can also be combined with Ball Form Machine or Peda Designing Machine.

## Features

- Tray size as per customer requirement
- Inbuilt HMI & PLC
- Servo Motor & Planetary Gearbox
- Complete SS 304 Construction

## Specifications

- Machine Body: SS 304
- Machine Dimension: Length: 124 cm, Width: 115 cm, Height: 161 cm
- Speed: Can arrange 10-80 Pieces per minute
- Electric Motor: Bonfiglioli
- Gear Box: Bonfiglioli
- Net Weight: 300 kg
- Drive: Delta
- Belt Material: PU Belt Food grade Material Made by Germany
- Electric Wire: RR Cable or Polycab
- Electric Parts: Siemens & L&T & Schneider Electric
- Electricity Power: 220v Ac Single phase 50/60 Hz 1kw
- Machine Movable: Yes (4 Inch Castor Wheel)



# Namkeen Single Head Machine

Namkeen Single Head is suitable to make various types of namkeen food items. Place a die to get your desired shape of namkeen and feed the preconditioned mixture. Through an extrusion process, the mixture will pass through a specific die which is placed. The process will ensure the uniformity in every batch of mass production of namkeen

## Used for Making

Nylon Sev  
Ratiami Sev  
Fulvadi  
Bhavnagari Gathiya  
Champakali Gathiya  
Papdi  
Ompudi  
Bhujia Sev

## Features

20 + 10 different types of namkeen dies  
Output 50 kg per Hour  
Castor-mounted for easy movement  
Tilting mechanism for easy cleaning

## Specifications

Machine Body SS 304  
Machine Dimension : Length : 120 cm, Width : 98 cm Height : 190 cm  
Bowl Diameter : 30 Inch  
Bowl Capacity : 15 to 60 Litre  
Machine Works On: Electric & LPG & PNG  
Net Weight : 200 kg  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Delta : Delta  
Electric Parts : Siemens & L&T & Schneider Electric  
Electric Wire : RR Cable or Polycab  
Electricity Power : 220v Ac Single phase 50/60 Hz 750 watts  
Air Pressure : 1 Cfm @6 kg pressure  
Machine Movable : Yes (4 Inch Castor Wheel)



# Namkeen Double Head Machine

Namkeen Double Head is suitable to make various types of namkeen food items. Place a die to get your desired shape of namkeen and feed the preconditioned mixture. Through an extrusion process, the mixture will pass through a specific die which is placed. The process will ensure the uniformity in every batch of mass production of namkeen

## Used for Frying


Nylon Sev  
Ratiami Sev  
Fulvadi  
Bhavnagari Gathiya  
Champakali Gathiya  
Papdi  
Ompudi  
Bhujia Sev

## Features

20+10 different types of namkeen dies  
Output 50-100 kg per Hour  
Inbuilt twin gas burner  
Castor-mounted for easy movement  
Tilting mechanism for easy cleaning

## Specifications

Machine Body SS 304  
Machine Dimension : Length : 110 cm, Width : 164 cm Height : 175 cm  
Bowl Diameter : 39 Inch  
Bowl Capacity : 60 to 100 Litre  
Machine Works On: Electric & LPG & PNG  
Net Weight : 350 kg  
Electric Motor : Bonfiglioli  
Gear Box : Bonfiglioli  
Delta : Delta  
Electric Parts : Siemens & L&T & Schneider Electric  
Electric Wire : RR Cable or Polycab  
Electricity Power : 220v Ac Single phase 50/60 Hz 750 watts  
Air Pressure : 1 Cfm @6 kg pressure  
Machine Movable : Yes (4 Inch Castor Wheel)



# Automatic Laddu Dana Making Machine

Automatic laddu dana making machine is designed to streamline the production of small, uniformly sized laddu particles ( boondi or dana) used in sweets like Motichoor Laddu.

## Used for Making

- Motichoor Laddu
- Boondi laddu
- Boondi Kheer
- Boondi Rabri
- Kara Boondi
- Boondi Raita
- Flavored Boondi

## Features

- Complete top to bottom part SS 304
- HMI & PLC - Based touch screen Operation
- Automatic Jhara washing feature after every cycle
- Adjustable hole sizes
- Oil drain system
- Digital control panel Provides for precise temperature and speed control.
- Continuous frying mechanism
- High speed operation
- Easy cleaning & maintenance

## Specifications

- Machine Body : SS 304
- Machine Dimension : Length : 134 cm, Width : 68 cm, Height : 208 cm
- Output : 50 kg per hour
- Boondi Size Range: 2mm - 8mm (Adjustable)
- Jhara Number : 00, 0 & 1 Boondi size
- HMI & PLC : Delta
- Pneumatic System : Festo
- Weight : 200 kg.
- Electric Motor : Bonfiglioli
- Gear Box : Bonfiglioli
- Drive : Delta
- Electric Wire : RR Cable or Polycab
- Electric Parts : Siemens & L&T & Schneider Electric
- Electricity Power : 220v Ac Single phase 50/60 Hz 300 watts
- Machine Movable : Yes ( 4 Inch Castor Wheel )



# Associations Our Clients

## Sweet Industries



# Associations Our Clients

## Sweet Industries





# Associations Our Clients

## Dairy Sector



## Hospitality



## Temple & Foundation





**Girnar**  
Food Machine Pvt. Ltd.  
Mfg : All Types Of Sweet & Namkeen Machines

Office : G-310, Titanium City Center, Anandnagar Road, Satellite, Ahmedabad-380015

Factory : Plot-9 & 11, Suvidha Engineering Zone, Nr. Atul Auto, Opp. SGVP School,  
Rajkot-Gondal N/H, At- Ribda, Rajkot - 360311 (Gujarat)

Contact No.: +91 90 91 365 365 | +91 93 51 365 365  
[www.girnarfoodmachine.com](http://www.girnarfoodmachine.com) | [info@girnarfoodmachine.com](mailto:info@girnarfoodmachine.com)

Watch on :

